

Safety Information

DStv
Explora

Important Safety Information

This DStv Explora meets International Safety Standards. Please read the following recommended safety precautions carefully.

Mains Supply

The DStv Explora operates at 12 V DC and is connected to the mains supply using the supplied power supply, rated 100 - 240 Vac 50/60Hz. Connect the power supply unit to the decoder and the power cable to the power supply unit, before connecting the other end of the power cable to the mains wall socket. Disconnect the power supply unit from the mains before connecting or disconnecting any other cables to the decoder's back panel.

Liquids & Spillage

Keep liquids away from the DStv Explora and do not put anything on top of it which may spill (example: lit candles, plants or containers of liquid). Do not use the DStv Explora in extreme temperature and humid conditions..

Ventilation

It is essential to keep the DStv Explora cool to prolong the life of the hard disk. Do not block the ventilation holes and ensure that free airflow is maintained around the DStv Explora. To maintain adequate ventilation of the decoder, ensure that there is at least 10cm of free space above and to the sides of the DStv Explora. Never stand the DStv Explora on soft furnishings or on carpet. Do not use, or store the DStv Explora near a heater or where it is exposed to direct sunlight. Never stack other electronic equipment on top of, or below the DStv Explora.

Cleaning

Before cleaning the DStv Explora, first disconnect it from the mains. Use a dry cloth to clean the exterior.

Servicing

Do not attempt to repair the DStv Explora yourself. You should also never remove the cover of the DStv Explora. Any tampering with the DStv Explora will invalidate the warranty. Refer all servicing to a qualified MultiChoice agent or branch.

Lightning

If the DStv Explora is installed in an area subject to intense lightning activity, protection devices for the power supply unit's mains connector are recommended.

Earthing

The earthing system must comply with local regulations.

Hard Disk

To avoid possible damage to the internal hard disk, do not pick up or move the DStv Explora while it is connected to the power supply. If you want to move the DStv Explora, first stop any recordings in progress, then put the DStv Explora into standby, and wait 30 seconds before disconnecting it.



For the latest DStv Explora Manual, as well as installation information and technical specifications, visit www.dstv.com

Information correct at time of going to print. For updated information, go to www.dstv.com (the "DStv Website"). In the event of conflict between this information and the information on the DStv Website, the information on the DStv Website will prevail.

e&eo (Apr 2013, V3.3)

Find us on

www.dstv.com



